

Hartmetall-Spiralbohrer

NC-Anbohrer




Katalog-Nr. 71190




P	M	K	N	S	H
•	•	•	•	•	

- Flächenanschliff
- nur zum Anbohren geeignet



d1 mm	l1 mm	l2 mm
5,000	62,000	14,000
6,000	66,000	16,000
8,000	79,000	21,000
10,000	89,000	25,000
12,000	102,000	30,000
16,000	115,000	37,500

d1 mm	l1 mm	l2 mm
20,000	131,000	45,000



Hartmetall-Spiralbohrer

NC-Anbohrer




Katalog-Nr. 71191



P	M	K	N	S	H
•	•	•	•	•	

- Flächenanschliff
- nur zum Anbohren geeignet



d1 mm	l1 mm	l2 mm
5,000	62,000	14,000
6,000	66,000	16,000
8,000	79,000	21,000
10,000	89,000	25,000
12,000	102,000	30,000
16,000	115,000	37,500

d1 mm	l1 mm	l2 mm
20,000	131,000	45,000

Hartmetall-Spiralbohrer

NC-Anbohrer




Katalog-Nr. 71189



P	M	K	N	S	H
•	•	•	•	•	

- Flächenanschliff
- nur zum Anbohren geeignet
- ab Ø 6 mm Schaft mit Spannfläche



d1 mm	l1 mm	l2 mm
4,000	55,000	12,000
5,000	62,000	14,000
6,000	66,000	16,000
8,000	79,000	21,000
10,000	89,000	25,000
12,000	102,000	30,000

d1 mm	l1 mm	l2 mm
16,000	115,000	37,500
20,000	131,000	45,000