LAVORO®

ENGINEERING LIFE

FROM SHOEMAKERS TO SHOE ENGINEERS

SAFETY FOOTWEAR

2026



COLLECTIONS

5 STRATICC
15 COSMICC
19 SPACE TRIP
22 SPACE ODDITY
25 COUNTRYSIDE
32 T.T.
42 HIGHWAY
46 ENERGY
49 CUP
51 HEAVY DUTY
53 TECH
59 FF/RF
64 WOMAN

INFORMATION

68 ACCESSORIES
69 SPODOS
72 TECHNICAL INFORMATION

Actually, it all started in

1872

The origins of the Leite family's footwear activity date back to the 19th century.

1986

ICC, the company that owns Lavoro, is established by Teófilo Leite.





1987

First export, heading to the Ducht market.

1988

Official presentation of Lavoro brand at the Expoprotection Fair - Paris, France.





2000

Launch of the first Lavoro women's collection, the Y2K range.



2006

Lavoro launches the word´s first insoles oh the ballistics generation, incorporating kevlar.





2019

Lavoro acquires new facilities to accommodate the warehouse and a new production unit.









2011

Lavoro creates SPODOS, a foot science center focused on engineering, podiatry and biomechanics














1989

Lavoro participates for the first time in A+A Fair.







1992

Constitution of Lavoro Deutschland

40 YEARS

1995

Lavoro patents "Clima Cork System", the first insole built in cork





2022

Lavoro begins journey to conquer the future: reconstruction of the historic industrial plant.



2023

SUPERNOVA SCF
SUPER CRITICAL FOAMING

A special focus on green production: robotization, green energy, supernova foam and innovative recycled material injection technology. Lavoro is the firts Safety Footwear brand to launch a whole collection made with **Super Critical Foam (SCF)**.



2025

The Lab Era: Where exploration becomes application, and innovation turns into proof. **Our 19th consecutive participation at A+A** marks a new chapter of technology, engineering, and in motion.



LAVORO®
ENGINEERING LIFE

EXPLORING NEW HORIZONS

At Lavoro, we walk towards new horizons.

Where engineering meets podiatry, and innovation is born from science, research, and precision. Every pair of our professional shoes is the result of advanced product development, tested in the laboratory and perfected through real-world experience.

Our commitment to **quality** drives us to continually explore new materials, technologies, and ergonomic solutions that redefine **comfort, safety, and performance** in professional footwear. With a foundation built on research and a vision focused on innovation, Lavoro creates shoes engineered **for those who move the world.**

Engineering comfort.
Redefining protection.
Expanding horizons.

STRATICC

NEW TECH

MSI

greater stability

enhances medial arch support

improves comfort

Direct injection process with different softnesses. One fully bonded unit with tailored properties by area.

/ PERFORATED SOLE /


GREATER CUSHION
RESPONSIVE SHOCK ABSORPTION
IMPROVED WEIGHT DISTRIBUTION



/ CLEATED SOLE /

GREATER FLEXIBILITY
GREATER WEIGHT DISTRIBUTION
IMPROVED FLUID MOTION

001. HOW DO WE WALK ?






Understanding how the human foot moves is the starting point for designing better safety footwear. Walking is a complex sequence of contact, load, balance, and propulsion - and every phase places different demands on the foot and the shoe.



Through biomechanical studies, we analyzed pressure points, foot strike, flexibility zones, and the natural rolling motion of the step. These drawings are not abstract concepts; they are direct translations of movement.



This research guided the development of our new STRATOS sole: perforated in the heel to improve comfort and impact absorption, and cleated in the forefoot to enhance grip, flexibility, and natural movement. Every groove, cavity, and profile responds to how workers actually walk, stand, and move throughout the day.



From biomechanics to sketches to sole, understanding motion allows us to create safety footwear that supports the body, reduces fatigue, and performs where it matters most - on the ground.

Know more:
spodos.pt

ARIES

EN ISO 20345:2022/A1:2024 CE **S3S HI CI FO SR**



\ 1202.01 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
NUBUCK LEATHER WR W/ BREATHABLE TEXTILE
(PT) Couro Nobuck WR com Têxtil Respirável (ES) Cuero Nobuck WR con Textil Respirable (FR) Cuir Nubuck WR avec Textile Respirant (DE) Nubukleder WR mit Atmungsaktivem Textil

LINING MATERIAL
AERPLUSS TECHTEX
(PT) Aerplus TechTex (ES) Aerplus TechTex (FR) Aerplus TechTex (DE) Aerplus TechTex



\ 1002.01 \

ANDROMEDA

EN ISO 20345:2022/A1 2024 **CE S3S HI CI FO SR**



QUICK RELEASE SYSTEM



\ 1202.11 \

AURIGA

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

MULTI-SECTION INJECTION (MSI)

CLIMA CORK SYSTEM

ESD (ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

METAL FREE

DRACO

EN ISO 20345:2022/A1:2024 **CE S1PS HI CI FO SR**

EU 35-48 / UK 2½-13 / MP 217-315

QUICK RELEASE SYSTEM



\ 1202.31 \

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
NUBUCK LEATHER WR 20/22 + BREEZEMESH 3D
(PT) Couro Nobuck com Têxtil Respirável 3D (ES) Cuero Nobuck con Textil Respirable 3D (FR) Cuir Nubuck avec Textile Respirant 3D (DE) Nubukleder mit Atmungsaktivem Textil 3D

LINING MATERIAL
AERPLUSS TECHTEX
(PT) Aerplus TechTex (ES) Aerplus TechTex (FR) Aerplus TechTex (DE) Aerplus TechTex

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
WR BREATHABLE HI-TECH MFN
(PT) Tecnologia MFN (ES) Tecnología MFN (FR) Tecnologie MFN (DE) Atmungsaktiv

LINING MATERIAL
AERPLUSS TECHTEX + SYMPATEX MEMBRANE
(PT) Aerplus TechTex + Membrana Sympatex (ES) Aerplus TechTex + Membrana Sympatex (FR) Aerplus TechTex + Membrane Sympatex (DE) Aerplus TechTex + Sympatex-Membran



\ 1202.21 \

HYDRA

EN ISO 20345:2022/A1:2024 **CE S7S HI CI FO SR**



\ 1002.11 \

HERCULES

EN ISO 20345:2022/A1:2024 **CE S7S HI CI FO SR**

MULTI-SECTION INJECTION (MSI)
CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
METAL FREE

TAURUS

EN ISO 20345:2022/A1:2024 **CE S7S HI CI FO SR**

EU 35-48 / UK 2½-13 / MP 217-315



QUICK RELEASE SYSTEM



\ 1228.20 \

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
WR BREATHABLE HI-TECH MFN
(PT) Tecnologia MFN (ES) Tecnología MFN (FR) Technologie MFN (DE) MFN Technologie

LINING MATERIAL
AERPLUSS TECHTEX + SYMPATEX MEMBRANE
(PT) Aerplus TechTex + Membrana Sympatex (ES) Aerplus TechTex + Membrana Sympatex (FR) Aerplus TechTex + Membrane Sympatex (DE) Aerplus TechTex + Sympatex--Membran





QUICK RELEASE SYSTEM



\ 1028.20 \

SAGITARIUS

EN ISO 20345:2022/A1:2024 **CE S7S HI CI FO SR**



\ 1241.00 \

CORVUS

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



SLIP IN.
EASY.
FAST.

MULTI-SECTION INJECTION (MSI)

CLIMA CORK SYSTEM

ESD
(ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

METAL FREE

CRATER

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



\ 1231.06 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
SCBD HAR TEXTILE
(PT) Têxtil SCBD HAR (ES) Textil SCBD HAR (FR) Textile SCBD HAIR (DE) SCBD HAIR Textile

LINING MATERIAL
DRYLEX PLUS 3SW
(PT) Drylex Plus 3SW (ES) Drylex Plus 3SW (FR) Drylex Plus 3SW (DE) Drylex Plus 3SW



\ 1031.06 \

CAPRICORNIUS

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

MULTI-SECTION INJECTION (MSI)
CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
METAL FREE

ULTRA RESISTANT MATERIAL



PISCES

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

EU 35-48 / UK 2 1/2-13 / MP 217-315



\ 1232.08 \

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
GUAPA UR TEXTILE
(PT) Têxtil GUAPA UR (ES) Textil GUAPA UR (FR) Textile GUAPA UR (DE) GUAPA-UR-Textil

LINING MATERIAL
AERPLUSS TECHTEX
(PT) Aerplus TechTex (ES) Aerplus TechTex (FR) Aerplus TechTex (DE) Aerplus TechTex



GUAPA

Developed with advanced protective technology, this upper material brings a new level of performance to safety footwear. Its innovative reinforced structure offers outstanding abrasion resistance, while remaining impressively lightweight and breathable. This ensures long-lasting protection without adding unnecessary weight, keeping the wearer comfortable throughout demanding workdays.

Engineered to withstand intense friction and heavy use, it surpasses 8,000 cycles in abrasion testing - delivering durability that professionals can rely on in tough environments.

MSI MULTI-SECTION INJECTION (MSI)
CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
METAL FREE
METAL FREE

FULL LEATHER

Choosing full leather footwear - with both the upper and lining made of leather - means choosing long-lasting comfort.
Leather naturally adapts to the shape of your foot, offers excellent breathability, and provides a softer, more supportive feel throughout the day. It's a durable, premium material that keeps your feet comfortable and protected in demanding environments.



FULL LEATHER
VHQ
VERY HIGH QUALITY

LEO

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**



\ 1236.02 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU W/ MSI
(PT) Dupla Densidade PU c/ MSI (ES) Doble Densidade PU con MSI (FR) Double Densité PU avec MSI (DE) Zweikomponenten PU mit MSI

UPPER RAW MATERIAL
VHQ WAXED NUBUCK LEATHER
(PT) Pele Nubuck Encerada VHQ (ES) VHQ gewachstes Nubukleder (FR) Cuir nubuck ciré VHQ (DE) Piel nubuck encerada VHQ

LINING MATERIAL
ANILINE LEATHER
(PT) Pele Anilina (ES) Piel Anilina (FR) Cuir Aniline (DE) Anilinleder





\ 1236.06 \




LIBRA

EN ISO 20345:2022/A1:2024 **CE S3S HI CI FO SR**

MSI MULTI-SECTION INJECTION (MSI)
CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
METAL FREE METAL FREE

COSMICC **ShieldCore™**

COSMICC ShieldCore™ is built around an advanced exoskeleton-core architecture, designed to deliver maximum durability without compromising comfort or weight.
This innovative sole construction combines four functional layers, each engineered with a specific purpose.



/ LADER GRIP /

/ SIDE STABILIZER /

SUPER CRITICAL FOAM (SCF)

Inside the rubber shell, a Super Critical Foam layer provides:

- Lightweight cushioning;
- Shock absorption;
- Energy return;
- Reduced fatigue during prolonged use.

CLIMA CORK SYSTEM (CCS)

Integrated within the core, our patented Clima Cork System adds natural thermal regulation and adaptive comfort.

It helps to:

- Maintain a balanced foot temperature;
- Distribute body weight more evenly;
- Increase long-term comfort.

Cooler in warm conditions.
Warmer in cold environments. Naturally.

DIRECT INJECTED PU

All internal components are stabilized within a directly injected PU structure that encapsulates the core and creates a secure bond with the upper.

This ensures:

- Structural stability;
- Flexibility;
- Long-lasting sole-to-upper adhesion.

RUBBER EXOSKELETON

The outer layer is a thin yet extremely resistant rubber exoskeleton.It acts as a protective shield against:

- Abrasion;
- Impact;
- Slips;
- High temperatures contact.

Engineered for demanding environments such as heavy industry, forestry and tactical use, it provides exceptional durability while remaining
optimized in thickness to avoid unnecessary weight.

STEPS OF COURAGE, MADE IN PORTUGAL.

FOR THOSE WHO NEVER TAKE A STEP BACK.

ECLIPSE BLACK

EN ISO 20345:2011/A1 2024 **CE S7S HI CI SR HRO FO LG**

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
ShieldCore™ (RUBBER + SCF + CCS + PU)
(PT) Borracha + SCF + CCS + PU (ES) Caucho + SCF+CCS + PU (FR) Caoutchouc + SCF + CCS + PU (DE) Gummi + SCF + CCS + PU

UPPER RAW MATERIAL
NUBUCK LEATHER WR 20/22
(PT) Couro Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22 (FR) Cuir NUBUCK WR 20/22 (DE) Nubukleder WR 20/22

LINING MATERIAL
SOFT ANILINE LEATHER + SYMPATEX MEMBRANE
(PT) Pele Anilina Macia + Membrana Sympatex (ES) Piel Anilina Suave + Membrana Sympatex (FR) Cuir Aniline Souple + Membrane Sympatex (DE) Weiches Anilinleder + Sympatex Membrane

QUICK RELEASE SYSTEM



\ 1068.40 \



\ 1068.42 \

ECLIPSE BROWN

EN ISO 20345:2022/A1 2024 **CE S7S HI CI FO SR HRO FO LG**



4EST

ARGYLL

EN ISO 17249:2013/AC:2014 CLASS 1 **CE S3 SRC HRO HI CI FO**



\ 1069.01 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
SHIELDCORE™ (RUBBER + SCF + CCS + PU)
(PT) Borracha + SCF + CCS + PU (ES) Caucho + SCF+CCS + PU (FR) Caoutchouc + SCF + CCS + PU (DE) Gummi + SCF + CCS + PU

UPPER RAW MATERIAL
NUBUCK LEATHER WR 20/22
(PT) Couro Nubuck WR 20/22 (ES) Cuero Nubuck WR 20/22 (FR) Cuir Nubuck WR 20/22 (DE) Nubukleder WR 20/22

LINING MATERIAL
AERPLUSS TECHTEX. TECHNICAL TEXTILE 100% PES
(PT) Têxtil técnico Aerpluss (ES) Textil técnico Aerpluss (FR) Textile technique Aerpluss (DE) Technisches Textil Aerpluss



\ 1069.07 \





\ 1069.08 \

GALLOWAY

EN ISO 17249:2013/AC:2014 CLASS 2
CE S7 SRC HRO HI CI FO

KIELDER

EN ISO 17249:2013/AC:2014 CLASS 3
CE S7 SRC HRO HI CI FO



SPACE TRIP collection



RAVEN SPEED

EN ISO 20345:2022 **CE S3S CI HI HRO SR**

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
DYNEEMA
(PT) Dyneema (ES) Dyneema (FR) Dyneema (DE) Dyneema

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
SUPERNOVA SCF + RUBBER
(PT) Supernova SCF + Borracha (ES) Supernova SCF + Caucho (FR) Supernova + Nitril (DE) Supernova + Gummi

UPPER RAW MATERIAL
RECYCLED TEXTILE (16%)
(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textiel

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

QUICK RELEASE SYSTEM



\ 1209.36 \



\ 1209.46 \

RAVEN

EN ISO 20345:2022 **CE S3S HI CI HRO SR**

SUPER CRITICAL FOAMING

ESD
(ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

LIGHTWEIGHT

METAL FREE

FALCON SPEED GREY

EN ISO 20345:2022 **CE S3S CI HI HRO SR**

QUICK RELEASE SYSTEM



\ 1209.16 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
DYNEEMA
(PT) Dyneema (ES) Dyneema (FR) Dyneema (DE) Dyneema

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
SUPER CRITICAL FOAM + RUBBER
(PT) Supernova SCF + Borracha (ES) Supernova SCF + Caucho (FR) Supernova + Nitril (DE) Supernova + Gummi

UPPER RAW MATERIAL
RECYCLED TEXTILE (16%)
(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textiel

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1209.06 \

FALCON GREY

EN ISO 20345:2022 **CE S3S CI HI HRO SR**

SUPER CRITICAL FOAMING

ESD
(ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

LIGHTWEIGHT

METAL FREE


22
SPACE ODDITY collection

STARGATE BLACK

EN ISO 20345:2022/A1 2024 **CE S2 PL SR**



\ 1201.00 \

EU 35-47 / UK 2 1/2-12 / MP 217-317

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
TPU + EVA PHYLON
(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU + Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL
HI-TECH TEXTILE
(PT) Têxtil Hi-Tech (ES) Textil Hi-Tech (FR) Textile Hi-Tech (DE) High-Tech Textiel

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil





EXTRA CUSHIONING

ESD
(ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

LIGHTWEIGHT

ENERGY RETURN TECHNOLOGY

METAL FREE

METAL FREE

STARDUST BLUE

EN ISO 20345:2011 **CE S1 P WRU SRC**

EU 33-47 / UK 1-12 / MP 202-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
TPU + EVA PHYLON
(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU + Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL
WR BREATHABLE HI-TECH MF
(PT) Tecnologia MF (ES) Tecnología MF (FR) Technologie MF (DE) MF Technologie

LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil



QUICK RELEASE SYSTEM



\ 1200.10 \



SANDAL // EXTRA BREATHABLE

EU 36-47 / UK 3-12 / MP 225-307



QUICK RELEASE SYSTEM



\ 1400.10 \

STARSIGHT BLUE
EN ISO 20345:2011 **CE S1 P SRC**

EU 35-47 / UK 2½-12 / MP 227-307



\ 1200.00 \

STARLIGHT BLUE
EN ISO 20345: 2011 **CE S1 P WRU SRC**

ESD
(ELECTRO STATIC DISSIPATIVE)

VEGAN FRIENDLY

METAL FREE

METAL FREE

ENERGY RETURN TECHNOLOGY

FLEXIBLE

LIGHTWEIGHT



COUNTRYSIDE collection



GLADE BLUE

EN ISO 20345:2011 **CE S3 CI HI SRC**

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
WR BREATHABLE HI-TECH MF
(PT) Tecnologia MF (ES) Tecnología MF (FR) Technologie MF (DE) MF Technologie

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv



\ 1227.01 \



\ 1027.01 \

MEADOW BLUE
EN ISO 20345:2011 **CE S3 CI HI SRC**

QUICK RELEASE SYSTEM



\ 1227.16 \

GLADE SPEED GREY
EN ISO 20345:2011 **CE S3 CI HI SRC**

QUICK RELEASE SYSTEM



\ 1027.16 \

GLADE SPEED GREY
EN ISO 20345:2011 **CE S3 CI HI SRC**

VEGAN FRIENDLY · LIGHTWEIGHT · ANTISTATIC · FLEXIBLE · METAL FREE

CANYON BLACK

EN ISO 20345:2011 **CE S3 CI HI SRC**



\ 1025.00 \

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Zchwartz Nubuckleer


LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil



\ 1225.00 \

JASPER

EN ISO 20345:2011 **CE S3 CI HI SRC**



CLIMA CORK SYSTEM · FLEXIBLE · LIGHTWEIGHT · Aquatex WATERPROOF · ANTISTATIC · METAL FREE

SNOWMASS

EN ISO 20345:2011 **CE S3 WR CI HI SRC**

Available with metatarsal protection.
Ref. 1025.20



\ 1025.10 \

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Zchwartz Nubuckleer

LINING MATERIAL
AQUATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Aquatex (ES) Membrana Impermeable Aquatex (FR) Membrane Impermeable Aquatex (DE) Aquatex Waserdichte Membrane

EU 39-48 / UK 6-13 / MP 257-315



\ 1025.25 \

YELLOWSTONE M

EN ISO 20345:2011 **CE S3 WR CI HI M SRC**



METATARSAL PROTECTION

CLIMA CORK SYSTEM · FLEXIBLE · LIGHTWEIGHT · Aquatex WATERPROOF · ANTISTATIC · METAL FREE

YOSEMITE

EN ISO 20345:2011 **CE S3 CI HI SRC**



\ 1026.42 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
WR FLOATER COGNAC
(PT) WR Floater Cognac (ES) Coñaac Floater WR (FR) Cuir Plein Fleur WR Cognac (DE) WR Floater Cognac

LINING MATERIAL
BREATHABLE DRYLEX TEXTILE
(PT) Têxtil Dry-Tex (ES) Textil Dry-Tex (FR) Textile Dry-Tex (DE) Dry-Tex Textil



\ 1674.62 \



EU 36-48 / UK 3-13 / MP 235-315

Aquatex WATERPROOF


APALACHE

EN ISO 20345: 2011 **CE S3 WR CI HI SRC**

CLIMA CORK SYSTEM · ANTISTATIC · FLEXIBLE · LIGHTWEIGHT · WATER REPELLENT UPPER · METAL FREE

FIORDLAND

EN ISO 20345:2022 **CE S3L CI HI FO SR**



QUICK RELEASE SYSTEM



\ 1025.35 \







EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Zchwartz Nubuckleer

LINING MATERIAL
NATURAL LAMBSKIN
(PT) Pele Natural de Carneiro (ES) Piel de Cordero Natural (FR) Peau de Mouton Naturelle (DE) Natürliches Lahm Futter

VHQ
VERY HIGH QUALITY





EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
-

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Zchwartz Nubuckleer

LINING MATERIAL
AQUATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Aquatex (ES) Membrana Impermeable Aquatex (FR) Membrane Impermeable Aquatex (DE) Aquatex Waserdichte Membrane

AGRI CULTURA



\ 1025.12 \

PRADO

EN ISO 20347:2011 **CE 03 HI CI SRC**







CASCADES BROWN 23

EN ISO 20345:2022 **CE S7L CI HI HRO SC SR**



\ 1024.32 \

EU 39-47 / UK 6-12 / MP 247-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DIRECT INJECTED PU + VIBRAM
(PT) PU Diretamente Injetado + Vibram (ES) PU Inyectado + Vibram (FR) PU Injecté Directement + Vibram (DE) Direkt Eingespritztes PU + Vibram

UPPER RAW MATERIAL
CRAZY HORSE LEATHER
(PT) Pele Crazy Horse (ES) Cuero Crazy Horse (FR) Cuir Crazy Horse (DE) Crazy Horse Leder

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Imperable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte





\ 1024.36 \

CASCADES GREY 23

EN ISO 20345:2011 **CE S7L HI CI HRO SC SR**

CLIMA CORK SYSTEM
RESISTANT UP TO 300°C
ANTI-SLIP SOLE
sympatex®
METAL FREE
METAL FREE
VHQ
VERY HIGH QUALITY







JABBA

EN ISO 20345:2011 **CE S3 SRC**



\ 1203.06 \

EU 35-48 / UK 2 1/2-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
K3D TEXTILE
(PT) Têxtil K3D (ES) Textil K3D (FR) Textile K3D (DE) K3D Textil

LINING MATERIAL
BREATHABLE DRYLEX TEXTILE
(PT) Têxtil Dry-Tex (ES) Textil Dry-Tex (FR) Textile Dry-Tex (DE) Dry-Tex Textil



\ 1203.11 \

CHEWIE 22

EN ISO 20345:2011 **CE S3 SRC**



BETTER FITTING

CLIMA CORK SYSTEM
EASY FIT SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
LIGHTWEIGHT
METAL FREE
METAL FREE

FULL LEATHER

VHQ
VERY HIGH QUALITY

YODA TAUPE FL

EN ISO 20345:2022 **CE S3L CI HI HRO SR FO**



\ 1204.12 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
NATURAL SMOOTH LEATHER
(PT) Pele Natural Macia (ES) Piel Natural Macia (FR) Cuir Souple Naturel (DE) Naturliches Weiches Leder

LINING MATERIAL
LEATHER
(PT) Pele (ES) Piel (FR) Cuir (DE) Leder



\ 1004.12 \

LANDO TAUPE FL

EN ISO 20345:2022 **CE S3L CI HI HRO SR FO**

CLIMA CORK SYSTEM
RESISTANT UP TO 300°C
ESD
FLEXIBLE
METAL FREE
VHQ VERY HIGH QUALITY

YODA BROWN

EN ISO 20345:2022 **CE S3L CI HI HRO SR FO**



\ 1204.02 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck WR (ES) Cuero Nubuck (FR) Cuir Nobuck WR (DE) Nubuck Leder WR

LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil



\ 1004.02 \

LANDO BROWN

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**



\ 1204.00 \

VADER BLACK

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**



\ 1004.00 \

KENOBI BLACK

EN ISO 20345:2011 **CE S3L HI CI HRO SR FO**

CLIMA CORK SYSTEM

RESISTANT UP TO 300°C

ESD (ELECTRO STATIC DISSIPATIVE)

METAL FREE

VERY HIGH QUALITY



SUSTAINABLE PRODUCTS

Incorporating 97% upper recycled material and 15% reusable cork.

Ongoing commitment to sustainability and environmental preservation.
By reusing materials, we are not only reducing waste but also promoting a circular economy, where materials are continuously repurposed and recycled.
We are contributing to a greener and sustainable future.

15% CORK IN SOLE

97% RECYCLED TEXTILE

LYNX EARTH

EN ISO 20345:2022 **CE S3L CI HI FO SR**



\ 1257.06 \

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU W/ 15% CORK
(PT) Dupla Densidade PU + Cortiça (ES) Doble Densidade PU + Corcho (FR) Doble Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
RECYCLED TEXTILE (97%)
(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textil

LINING MATERIAL
RECYCLED TEXTILE
(PT) Têxtil Reciclado (ES) Textil Reciclado (FR) Textile Recyclé (DE) Recyceltes Textil

SOLE
DOUBLE DENSITY PU
(PT) PU Diretamente Injetado (ES) PU Inyectado (FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL
VHR TEXTILE
(PT) Têxtil VHR (ES) Textil (FR) Textile VHR (DE) VHR Textil

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv



\ 1257.10 \

LYNX ICE

EN ISO 20345:2011 **CE S3 SRC**

ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
LIGHTWEIGHT
METAL FREE
METAL FREE

LYNX BLACK

EN ISO 20345:2011 **CE S3 SRC**

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
WR BREATHABLE HI-TECH
(PT) Tecnologia MF (ES) Tecnología MF (FR) MF Technologie (DE) MF Technologie

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv



\ 1257.50 \



\ 1057.50 \

DRAGON BLACK

EN ISO 20345:2011 **CE S3 SRC**



\ 1257.51 \

LYNX BLUE

EN ISO 20345:2011 **CE S3 SRC**



\ 1257.61 \

ARA

EN ISO 20345:2011 **CE S1 P SRC**

ESD
(ELECTRO STATIC DISSIPATIVE)

FLEXIBLE

LIGHTWEIGHT

VEGAN FRIENDLY

OEKO-TEX®

METAL FREE
METAL FREE



FOOD INDUSTRY

VAGOS

EN ISO 20345:2022 **CE S2 SR**

EU 34-48 / UK 2-13 / MP 217-315

PROTECTIVE MIDSOLE
-

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU
(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
VEGAN MICROFIBER
(PT) Microfibra Vegan (ES) Microfibra Vegan (FR) Microfibre Vegan (DE) Mikrofaser Vegan

LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil



\ 1111.23 \



\ 1111.30 \

TOCHA 22

EN ISO 20345:2011 **CE S3 SRC**

ESD (ELECTRO STATIC DISSIPATIVE) · FLEXIBLE · LIGHTWEIGHT · VEGAN FRIENDLY · METAL FREE

VADER XXL

EN ISO 20345:2011 **CE S3 SRA**



\ 1204.30 \

EU 49-53 / UK 14-17 / MP 322-352

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DESITY PU
(PT) Dupla Densidade PU (ES) PU Doble Densidade PU
(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil

KENOBI XXL

EN ISO 20345:2011 **CE S3 SRA**

XXL
49 - 53



\ 1004.30 \

CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
FLEXIBLE
ANTI-SLIP SOLE
METAL FREE
METAL FREE
VHQ VERY HIGH QUALITY


HIGHWAY collection

E04

EN ISO 20345: 2022/A1:2024 **S3S HI CI HRO FO SR**

EU 35-47 / UK 2½-12 / MP 217-317

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
NUBUCK LEATHER + TEXTILE
(PT) Pele Nubuck + Têxtil (ES) Cuero Nobuck + Textil (FR) Cuir Nubuck + Textile (DE) Nubuckleder + Textil

LINING MATERIAL
DRYLEX TEXTILE
(PT) Têxtil Drylex (ES) Textil Drylex (FR) Textile Drylex (DE) Drylex Textil



\ 1255.06 \



\ 1055.06 \

E14
EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**



\ 1255.00 \

E05
EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**



\ 1055.00 \

E15
EN ISO 20345:2022/A1:2024 **S3S HI CI HRO FO SR**

CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
ANTI-SLIP SOLE
RESISTANT UP TO 300°C
LIGHTWEIGHT
VHQ VERY HIGH QUALITY

E02

EN ISO 20345:2011 **CE S3 HRO SRC**

EU 35-48 / UK 2½-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuckleder

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1256.00 \

E 10 BLACK

EN ISO 20345:2011 **CE S3 HRO SRC**



\ 1084.30 \

CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
RESISTANT UP TO 300°C
ANTI-SLIP SOLE
WATER REPELLENT UPPER
VHQ VERY HIGH QUALITY

E 16 HONEY

EN ISO 20345:2011 **CE S3 HRO SRC**



\ 1084.36 \

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuckleder

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

EU 39-48 / UK 6-13 / MP 257-315



\ 1084.22 \

E 17 BROWN

EN ISO 20345:2011 **CE S3 HRO SRC**



\ 1058.00 \

E 22

EN ISO 20345:2011 **CE S3 HRO SRC**

CLIMA CORK SYSTEM
ESD (ELECTRO STATIC DISSIPATIVE)
RESISTANT UP TO 300°C
ANTI-SLIP SOLE
WATER REPELLENT UPPER
VHQ VERY HIGH QUALITY



ENERGY collection

HYBRID BLUE

EN ISO 20345:2011 **CE S3 SRC**



\ 1263.11 \

EU 35-48 / UK 2 1/2-13 / MP 217-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DIRECT INJECTED PU + TPU
(PT) PU Diretamente Injetado + TPU (ES) PU Inyectado + TPU (FR) PU Injecté Directement + TPU (DE) Direkt Eingespritztes PU + TPU

UPPER RAW MATERIAL
LASER HD WR TEXTILE
(PT) Têxtil Laser HD WR (ES) Textil Laser HD WR (FR) Textile Laser HD WR (DE) WR Floater Cognac

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil




\ 1263.14 \



HYBRID RED

EN ISO 20345:2011 **CE S3 SRC**



CLIMA CORK SYSTEM · ESD (ELECTRO STATIC DISSIPATIVE) · WATER REPELLENT UPPER · LIGHTWEIGHT · ANTI-SLIP SOLE · METAL FREE

SOLAR

EN ISO 20345:2011 **CE S1 P SRC**



\ 1250.01 \

EU 36-48 / UK 3-13 / MP 225-315

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DIRECT INJECTED PU + TPU
(PT) PU Diretamente Injetado + TPU (ES) PU Inyectado Directo + TPU (FR) PU Injecté Directement + TPU (DE) Direkt Eingespritztes PU + TPU

UPPER RAW MATERIAL
SUEDE LEATHER
(PT) Couro Acamurçado (ES) Cuero de Gamuza (FR) Croute Velours (DE) Suede Leder

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1250.00 \

TIDAL

EN ISO 20345:2011 **CE SI P SRC**



\ 1050.00 \

BIOMASS

EN ISO 20345:2011 **CE S3 SRC**

UPPER RAW MATERIAL
LEATHER + TEXTILE
(PT) Pele + Têxtil (ES) Piel + Textil (FR) Cuir + Textile (DE) Leder + Textil












CUP collection



JAMOR

EN ISO 20345:2022 **CE S3L HI CI FO SR**



\ 1237.00 \

EU 36-47 / UK 3-12 / MP 225-307


PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
MATRIX KEVLAR + ANILINE LEATHER
(PT) Matrix Kevlar + Pele Anilina (ES) Matrix Kevlar + Cuero Anilina (FR) Matrix Kevlar + Aniline Leder (DE) Matrix Kevlar + Aniline Leder

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



Designed for multidirectional floors, giving a perfect traction with comfort to your feet





\ 1238.02 \

TEAM BROWN

EN ISO 20345:2022 **CE S3L CI HI FO SR**

TECHNICAL CONTRIBUTION OF SPODOS FOOT SCIENCE CENTER

CLIMA CORK SYSTEM

WATER REPELLENT UPPER

SHOCK ABSORBER

ANTISTATIC

HEAVY DUTY collection



EXPLORATION HIGH

EN ISO 20345:2022/A1:2024 **CE S7 HI CI FO SR**



\ 1611.00 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU
(PT) PU Diretamente Injetado (ES) PU Inyectado Diretcto
(FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
AQUATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Aquatex (ES) Membrana Impermeable Aquatex (FR) Membrane Impermeable Aquatex (DE) Aquatex Wasserdichte Membrane

EXPLORATION LOW

EN ISO 20345:2022/A1:2024 **CE S7 HI CI FO SR**



\ 1011.00 \

CLIMA CORK SYSTEM

Aquatex WATERPROOF

ANTI-SLIP SOLE

ANTISTATIC


TECH collection

ELITE

EN ISO 17249:2013 CLASS 2
EN ISO 20345:2011 **CE S3 CI HI HRO SRC**



\ 1671.02 \

EU 39-48 / UK 6-13 / MP 247-315

PROTECTIVE MIDSOLE
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
CRAZY HORSE LEATHER
(PT) Pele Crazy Horse (ES) Cuero Crazy Horse (FR) Cuir Crazy Horse (DE) Crazy Horse Leder

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane

SHERWOOD

EN ISO 17249:2013 CLASS 3
EN ISO 20345:2011 **CE S3 HRO SRA**

EU 39-47 / UK 6-12 / MP 247-317

PROTECTIVE MIDSOLE
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
CRAZY HORSE LEATHER
(PT) Pele Crazy Horse (ES) Cuero Crazy Horse (FR) Cuir Crazy Horse (DE) Crazy Horse Leder

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane



\ 1053.60 \

CLIMA CORK SYSTEM
CHAINSAW PROTECTION
sympatex®
RESISTANT UP TO 300°C
WATER REPELLENT UPPER

DAINTREE 2.1

EN ISO 17249:2013 / AC:2014 CLASS 1
EN ISO 20345:2011 **CE S3 HRO SRC**

EU 39-48 / UK 6-13 / MP 247-315



\ 1053.90 \

EU 39-47 / UK 6-12 / MP 247-317

PROTECTIVE MIDSOLE
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

UPPER RAW MATERIAL
NUBUCK LEATHER
(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuck Leder

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktin Textil

DAINTREE 2.0

EN ISO 17249:2013 / AC:2014 CLASS 1
EN ISO 20345:2022 **CE S3 CI HI HRO SRC**



\ 1053.80 \

CHAINSAW PROTECTION
RESISTANT UP TO 300°C
CLIMA CORK SYSTEM
WATER REPELLENT UPPER
ANTI-SLIP SOLE

ICELANDICC

EN ISO 20345:2022 **CE S3 CI FO LG SR**

EU 36-50 / UK 3-14½ / MP 225-330

PROTECTIVE MIDSOLE
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU
(FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
NATURAL LAMBSKIN
(PT) Pele Natural de Carneiro (ES) Piel de Cordero Natural
(FR) Peau de Mounton Naturelle (DE) Natürliches Lahm Futterf



\ 1625.00 \



2 SIDE ZIPS YKK



NATURAL LAMBSKIN



CLIMA CORK SYSTEM

RESISTANT UP TO -30°C

WATER REPELLENT UPPER

ANTI-SLIP SOLE









NEW BARCELONA

EN ISO 20345:2022 **CE S3L CI HI HRO SC SR**

RESISTANT UP TO 300°C

WATER REPELLENT UPPER

ANTI-SLIP SOLE

EU 39-48 / UK 6-13 / MP 257-325

PROTECTIVE MIDSOLE

-

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DIRECT INJECTED PU + RUBBER

(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL

FULL GRAIN LEATHER

(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil



\ 1052.01 \

X6

EN ISO 20345:2022/A1:2022 **CE S3 CI HI FO SR**



\ 1065.52 \

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

PROTECTIVE TOE CAP

STEEL

(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE

DOUBLE DENSITY PU

(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Double Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL

NUBUCK LEATHER

(PT) Pele Nubuck (ES) Cuero Nobuck (FR) Cuir Nubuck (DE) Nubuck Leder

LINING MATERIAL

BREATHABLE TEXTILE

(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

SHOCK ABSORBER

WATER REPELLENT UPPER

CLIMA CORK SYSTEM

ANTISTATIC



FF/RF collection







FÉNIX 5.1 PRO

EN ISO 15090:2012 **TIPO 2 H13 F2A**
EN ISO 17249:2022 / AC 2014 CLASS 2
EN ISO 20345:2011 **CE S3 WR CI HI AN M HRO SRC**



\ 2018.30 \

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
FIREFOX - VIBRAM FIRE-REATARDANT RUBBER
(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo - Vibram (FR) Nitril Ignifuge - Vibram (DE) Feuerhemmender Gummi - Vibram

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane



ANKLE PROTECTION



METATARSAL PROTECTION

CLIMA CORK SYSTEM
FIREFIGHTERS
CHAINSAW PROTECTION
WATER REPELLENT UPPER
sympatex®
METAL FREE
METAL FREE
Vibram

FÉNIX 5.1

EN ISO 15090:2012 **TIPO 2 HI3 F2A**
EN ISO 20345:2022 **CE S3 WR CI HI AN HRO SRC**

EU 36-47 / UK 3-12 / MP 225-307



\ 2018.40 \



ANKLE PROTECTION

FLAME 5.1

EN ISO 15090:2012 **TIPO 2 HI3 F2A**
EN ISO 20345:2022 **CE S3 WR CI HI AN HRO SRC**

METAL FREE

EU 36-47 / UK 3-12 / MP 225-307



\ 2019.00 \

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
FIREFOX - VIBRAM FIRE-REATARDANT RUBBER
(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo - Vibram (FR) Nitril Ignifuge - Vibram (DE) Feuerhemmender Gummi - Vibram

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane

CLIMA CORK SYSTEM
FIREFIGHTERS
sympatex®
vibram

PATROL 5.1

EN ISO 15090:2012 **TIPO 2 H13 F2A**
EN ISO 20345:2022 **CE S3 HI CI AN HRO SRC**

CLIMA CORK SYSTEM · FIREFIGHTERS · sympatex®

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
FIBERGLASS
(PT) Fibra de Vidro (ES) Fibra de Vidrio (FR) Fibre de Verre (DE) Glassfaser

SOLE
FIREFOX - VIBRAM FIRE-REATARDANT RUBBER
(PT) Borracha Ignífuga - Vibram (ES) Caucho Ignífugo - Vibram (FR) Nitril Ignifuge - Vibram (DE) Feuerhemmender Gummi - Vibram

UPPER RAW MATERIAL
FULL GRAIN LEATHER + TEXTILE
(PT) Pele de Flor Integral + Têxtil (ES) Cuero Full Grain + Textil (FR) Cuir Plein Fleur Grainé + Textile (DE) Glattleder + Textil

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane



\ 2076.50 \

METAL FREE



\ 1076.85 \

PATROL 2.1

EN ISO 20345:2011 **CE 03 HRO SRC WRU**



INTERNAL ZIPPER YKK

EU 35-47 / UK 2½-12 / MP 217-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
-

SOLE
DIRECT INJECTED PU + RUBBER
(PT) PU Diretamente Injetado + Borracha (ES) PU Inyectado + Caucho (FR) PU Injecté Directement + Nitril (DE) Direkt Eingespritztes PU + Gummi

UPPER RAW MATERIAL
FULL GRAIN LEATHER + TEXTILE
(PT) Pele de Flor Integral + Têxtil (ES) Cuero Full Grain + Textil (FR) Cuir Plein Fleur Grainé + Textile (DE) Glattleder + Textil

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

RESISTANT UP TO 300°C · ANTISTATIC · WATER REPELLENT UPPER · SHOCK ABSORBER · ANTI-SLIP SOLE

SPACE TROOPER

EN ISO 20347:2022 **CE O2 PS SR WR AN**



\ 1610.00 \

LIGHTWEIGHT

FLEXIBLE

EU 36-47 / UK 3-12 / MP 225-307

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
-

SOLE
TPU + EVA PHYLON
(PT) TPU + Eva Phylon (ES) TPU + Eva Phylon (FR) TPU + Eva Phylon (DE) TPU + Eva Phylon

UPPER RAW MATERIAL
HI-TECH TEXTILE
(PT) Têxtil Hi-Tech (ES) Textil Hi-Tech (FR) Textile Hi-Tech (DE) High-Tech Textil

LINING MATERIAL
SYMPATEX WATERPROOF MEMBRANE
(PT) Membrana Impermeável Sympatex (ES) Membrana Impermeable Sympatex (FR) Membrane Impermeable Sympatex (DE) Sympatex Wasserdichte Membrane

S.A.S. BLACK BOOT

EN ISO 20347:20202 **CE O7 S HRO SR**



LACICC - SHOE LACES STORAGE SYSTEM



\ 1675.10 \

SOLE
DIRECT INJECTED PU + VIBRAM
(PT) PU Diretamente Injetado + Vibram (ES) PU Inyectado + Vibram (FR) PU Injecté Directement + Vibram (DE) Direkt Eingespritztes PU + Vibram

sympatex®

METAL FREE

METAL FREE



WOMAN collection

64

LYNX CLAY

EN ISO 20345:2022 **CE S3L CI HI FO SR**



\ 1257.82 \

EU 35-42 / UK 2 1/2-8 / MP 217-370

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
COMPOSITE
(PT) Composite (ES) Composite (FR) Composite (DE) Kunstoffkappe

SOLE
DOUBLE DENSITY PU
(PT) Dupla Densidade PU (ES) Doble Densidade PU (FR) Doble Densité PU (DE) Zweikomponenten PU

UPPER RAW MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

LINING MATERIAL
BREATHABLE TEXTILE
(PT) Têxtil Respirável (ES) Textil Respirable (FR) Textile Respirant (DE) Atmungsaktiv Textil

LYNX TERRACOTA

EN ISO 20345:2022 **CE S3L CI HI FO SR**



\ 1257.84 \

WOMAN ESD (ELECTRO STATIC DISSIPATIVE) LIGHTWEIGHT FLEXIBLE METAL FREE

BIANCA

EN ISO 20345:2011 **CE S3S CI FO SR**

EU 36-42 / UK 3-8 / MP 225-270

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU
(PT) PU Diretamente Injetado (ES) PU Inyectado Directo
(FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
ANILINE LEATHER
(PT) Pele Anilina (ES) Cuero Anilina (FR) Cuir Aniline (DE) Aniline Leder



\ 1118.10 \



\ 1153.10 \

EVA

EN ISO 20345:2011 **CE S2P SRC**

WOMAN

ESD
ELECTRO STATIC DISSIPATIVE

ANTISTATIC

ANTI-SLIP SOLE

LUCY

EN ISO 20345:2011 **CE S3S CI FO SR**



\ 1021.10 \

EU 36-42 / UK 3-8 / MP 225-270

PROTECTIVE MIDSOLE
KEVLAR
(PT) Kevlar (ES) Kevlar (FR) Kevlar (DE) Kevlar

PROTECTIVE TOE CAP
STEEL
(PT) Aço (ES) Acero (FR) Acier (DE) Stahlkappe

SOLE
DIRECT INJECTED PU
(PT) PU Diretamente Injetado (ES) PU Inyectado Directo
(FR) PU Injecté Directement (DE) Direkt Eingespritztes PU

UPPER RAW MATERIAL
FULL GRAIN LEATHER
(PT) Pele de Flor Integral (ES) Cuero Full Grain (FR) Cuir Plein Fleur Grainé (DE) Glattleder

LINING MATERIAL
ANILINE LEATHER
(PT) Pele Anilina (ES) Cuero Anilina (FR) Cuir Aniline (DE) Aniline Leder



\ 1016.10 \

CYNDI
EN ISO 20345:2011 **CE S3S CI FO SR**



\ 1036.30 \

SANDY
EN ISO 20345:2011 **CE S2P SRC**

WOMAN

ESD
ELECTRO STATIC DISSIPATIVE

ANTISTATIC

ANTI-SLIP SOLE

ACCESSORIES

SPODOS 3V

SIZE 36-47



FLAT FEET



\ 9999.95 \



NORMAL FEET



\ 9999.96 \



ARCH FEET



\ 9999.97 \

FEATURES

HEALTH OF YOUR FEET
Anti-Microbial
Active Carnon
Thermoregulatory Effect
Steam Permeable
100% Breathable
Washable

THINKING ABOUT COMFORT
Anti-Fatigue
Extra Light
High Absorption Capacity
Hight Memory Capacity
Different Densities

ECOFRIENDLY
Made from Recycled Materials

ECOFRIENDLY
Made from Recycled Materials

SIZE 35-38 / 43-47

PRO SOCKS

\ 9999.79 \



SIZE 39-42 / 43-47

ECO SOCKS

\ 9999.73 \



SIZE 36-47



\ 9999.12 \

CHROMIUM FREE LEATHER

Cork and Natural Leather
Breathable
Thermoregulatory Effect



\ 9999. \

LAVORO X-MAX

Selected premium materials and accurate design to keep your feet feeling cool, dry and fresher for longer.

SPODOS®

FOOT SCIENCE CENTER

CADA PASSO NO TRABALHO TEM CIÊNCIA

Este livro coloca a saúde do pé no centro da reflexão sobre ergonomia, desempenho e prevenção de lesões no trabalho. Dirigido a profissionais de saúde, técnicos de segurança no trabalho, engenheiros, designers de calçado, gestores e decisores empresariais, esta obra é um guia científico e um manifesto cultural: proteger os pés dos trabalhadores é proteger todo o corpo, a dignidade do trabalho e a sustentabilidade das organizações.

/ EN /

EACH STEP AT WORK HAS SCIENCE BEHIND IT

This book places foot health at the center of reflection on ergonomics, performance, and injury prevention in the workplace. Aimed at health professionals, occupational safety technicians, engineers, footwear designers, managers, and business decision-makers, this work is both a scientific guide and a cultural manifesto: protecting workers' feet means protecting the entire body, the dignity of work, and the sustainability of organizations.





Available in Portuguese | lavoro.pt | spodos.pt

| Coming soon in English



SPODOS®
FOOT SCIENCE CENTER

FEET HEALTH AT WORK

(PT)

Cuidamos da saúde dos pés em contexto de trabalho

Em estreita parceria com as empresas, otimizamos a prevenção, ajudamos a minimizar o absentismo, e a reduzir os casos de dispensa de utilização de equipamentos de proteção individual.

Para o melhor aconselhamento de calçado profissional, consulte o SPODOS, que auxilia as empresas a cuidar da qualidade de vida do pé em contexto laboral:

1.
Caracteriza o ambiente de trabalho;

2.
Aconselha, depois de identificar necessidades;

3.
Realiza análises podológicas e biomédicas aos colaboradores, em estreita parceria com os especialistas em Medicina do Trabalho, Ortopedia e/ou com Técnicos de Higiene, Saúde e Segurança no Trabalho;

4.
Diagnostica patologias nos pés dos colaboradores e recomenda terapias;

5.
Supervisiona a eficiência das propostas realizadas;

6.
Projeta soluções personalizadas para pés deformados.

7.
Realiza formações sobre a saúde do pé em contexto laboral.

(EN)

We take care of foot health in the workplace

In close partnership with companies, we optimize prevention, help minimize absenteeism, and reduce cases of exemption from the use of personal protective equipment. We care for foot health in the workplace like no one else.

For the best professional footwear advice, consult SPODOS, which supports companies in promoting foot health and quality of life in the workplace:

1.
Assesses the work environment;

2.
Provides guidance after identifying specific needs;

3.
Carries out podiatric and biomedical assessments of employees, in close collaboration with specialists in Occupational Medicine, Orthopedics, and/or Occupational Health and Safety Technicians;

4.
Assesses the work environment;

5.
Monitors the effectiveness of the recommended solutions;

6.
Designs customized solutions for deformed feet;

7.
Delivers training on foot health in the workplace.








spodos.pt
spodos@lavoroeurope.com

O COMPRIMENTO DO SAPATO (EM MM) DEVE SER SEMPRE 10MM MAIOR DO QUE O COMPRIMENTO DO PÉ.

THE SHOE LENGTH (IN) SHOULD ALWAYS BE 10MM LONGER THAN THE FOOT LENGTH.

Por exemplo, se o pé medir 270mm, o sapato deverá 280mm.

For example, if the foot measures 270mm, the shoe should measure 280mm.



No entanto, se o pé medir 272mm (P.E.), o sapato deverá medir 287mm.
Um sapato de 280mm não proporcionaria os 10mm de espaço extra recomendados e o utilizador não tiraria total proveito do conforto e da experiência de usar um sapato Lavoro.

However, if the foot measures 272mm (P.E.), the shoe shoud measure 287mm.
A 280mm shoe would not provide the recommended 10 mm extra space, and the use wouldn't fully benefit from the comfort and experience of wearing a Lavoro shoe.




TABELA DE TAMANHOS

Size chart

FOOT LENGHT (MM)	195 - 202	203 - 210	211 - 217	218 - 225	226 - 232	233 - 240	241 - 247	248 - 255	256 - 262	263 - 270	271 - 277	278 - 285	286 - 292	293 - 300	301 - 307	308 - 315	316 - 322	323 - 330	331 - 337	338 - 345	346 - 352
MONDOPOINT R2 (MM)	212	220	227	235	242	250	257	265	272	280	287	295	302	310	317	325	332	340	347	355	362
EU	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
UK	1 1/2	2	2 1/2	3	4	5	6	6 1/2	7	8	9	10	10 1/2	11	12	13	14	14 1/2	15	16	17

Descobre mais no livro: ***"O PÉ EM CONTEXTO DE TRABALHO, A bioengenharia do calçado profissional".***
Find out more in the book: ***"THE FOOT IN THE WORK CONTEXT: The Bioengineering of Professional Footwear".***

spodos.pt
spodos@lavoroeurope.com

PPE STANDARDS

SAFETY FOOTWEAR STANDARDS

EN ISO 20345:2011

SB (safety basic) - 200J (joule) Toecap protection.

S1 - Same as SB + Closed heel, antistatic protection and energy absorption in the heel.

S2 - Same as S1 + Waterproof exterior to prevent water penetration.

S3 - Same as S2 + Midsole penetration resistance to prevent sharp objects from penetrating the footwear and damaging your foot.

EN ISO 20345:2022

S6 - New rating introduced by the new norm (20345:2022).
Same as S2 + Water resistance for the whole piece of footwear.

S7 - New rating introduced by the new norm (20345:2022).
Same as S3 + Water resistance for the whole piece of footwear.

SLIP - RESISTANCE RATINGS

EN ISO 20345:2011

SRA - Tested on ceramic tile wetted with dilute soap solution.

SRB - Tested on smooth steel with glycerol.

SRC - Tested under both the above conditions.

EN ISO 20345:2022

SR - Slip resistance - on ceramic tile floor with glycerin.

Ø - Has not been tested according to this standards as it offers studs or spikes, or ir for use within special workplaces and is therefore not applicable.

ADDITIONAL REQUIREMENTS

A - Antistatic - Protects against static electrical charges.
AN - Ankle protection.
C - Partially conductive footwear.
CI - Cold Insulation.
CR - Cut-Resistant upper.
E - Energy absorption of seat region.
FO - Resistance to fuel oil.
HI - Hot Insulation.
HRO - Resistance to hot contact at 300°.
PL - Penetration resistance (non-metal) - Penatration.
LG - Lader grip outsole.
M - Metatarsal protection (impacts up to 100J).
P - Perforation resistance (metal). Tested with large nail (Ø 4,5mm).
PS - Penetration resistance (non-metal). Penetration tested with small nail (Ø 3,0mm).
SC - Scuff cap abrasion.
WPA - Water penetration and absorption.
WR - Water-resistance with waterproof membrane.

TECHNOLOGIES

NEW TECH

MULTI SECTION INJECTION

MSI

MULTI-SECTION INJECTION









Direct injection process with different softnesses. One fully bonded unit with tailored properties by area.

UP TO 3 DIFFERENT SOFTNESSES ONLY IN THE MIDSOLE



CLIMA CORK SYSTEM

Clima Cork System creates the perfect environment inside your shoes. The cork layer between the sole and the insole keeps your feet cool in summer and warm in winter.
The cork allows the creation of a kind of “footprint”, favours its adaptation to the shoe and contributes to the reduction of fatigue, by benefiting the uniform distribution of the weight.



CLIMA CORK SYSTEM

WHAT ARE THE BENEFITS?

FOR THE USER

- Thermal Control
- Reduction of Fatigue
- Impact Absorption
- Comfort
- Weight Distribution

FOR THE PLANET

- Renewable Resource
- Biodegradable
- Recycable
- Ecosystem Support
- Carbon Capture

FULL LEATHER

VHQ VERY HIGH QUALITY

LEATHER IS BACK


With traced and 100% biodegradable production, responsible leather guarantees a sustainable future for the planet and extra comfort for professionals in a wide variety of activities. Its use in safety footwear provides users with long-term benefits every day and over the years. Furthermore, because the leather maintains its essential characteristics of resistance to fire and abrasion and water repellency: Easy to maintain and ideal elasticity for all movements. Hypoallergenic, it also promotes perspiration. At Lavoro we therefore continue to believe in this special raw material, apllying only responsible leather in our durable safety shoes.

Safe and technologically advanced products are our strength.



VHQ VERY HIGH QUALITY


The **VHQ (Very High Quality)** seal is a certification granted to Lavoro professional footwear, ensuring not only safety and protection but also comfort and foot health maintenance. The evaluation, conducted by SPODOS – Foot Science Center, analyzes factors such as internal temperature, weight, flexibility, stability, shock absorption, and materials used, combining knowledge of podiatry and biomedical engineering to ensure the footwear's quality and biomechanical suitability.







NEW


COLLECTION




STRATICC


ALL.
IN.
ONE.
ONE.
IN.
ALL.



LAVORO®
ENGINEERING LIFE

AUTHORISED DISTRIBUTOR

LAVORO EUROPE
SOL - PINHEIRO
4810-718
GUIMARÃES - PORTUGAL

T. +351 253 776 666
F. +351 253 140 905

INFO@LAVOROEUROPE.COM

@lavoroeurope

ICC-Ind. e Comércio de Calçado S.A.
NIF: 501642200
Capital Social: €1 416 495.00
Inscrita na C.R.C Guimarães
sob o nº 2453

Cofinanciado pela União Europeia

In the interest of product development Lavoro reserves the right to change or amend the specifications of the products, without previous notice.

v2 _ MAR _ 2026

lavoroeurope.com